

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6357	object\$1 near5 (password\$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L2	25796	(shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 prestor\$4 known pre-known preknown) near5 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L3	20959	object\$1 near5 (interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L4	41	L1 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L5	29	L4 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L6	309	(object\$1) near9 (shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 prestor\$4 known pre-known preknown) near9 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L7	62	L6 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L8	34	L7 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L10	8	(object\$1) near9 (shar\$3) near8 (password\$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L11	5	L10 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15

L12	4	L11 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L14	40	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L15	30	L14 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L16	22	L15 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L17	18143	((726/1-2) or (726/4-6) or (726/18) or (726/26-27) or (726/30) or (713/167) or (713/183-184) or (707/1-7) or (707/9) or (707/100) or (707/1102) or (707/103R) or (707/103Y) or (707/103Y) or (707/103X) or (707/103Y) or (707/202)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L18	3930	L17 and ((multipl \$8 many another \$1 second\$4 other inter-relat\$4 interrelat\$4) near8 object\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L19	62	L18 and ((shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 pre-stor\$4 known pre-known preknown) near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L20	23	L19 and (query\$9)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15

L21	17	L19 and L3	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L22	15	L21 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L23	21	L18 and (shar\$3 near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L24	21	L23 and object\$1	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L25	18143	((726/1-2) or (726/4-6) or (726/18) or (726/26-27) or (726/30) or (713/167) or (713/183-184) or (707/1-7) or (707/9) or (707/100) or (707/1102) or (707/103R) or (707/103Y) or (707/103Y) or (707/103X) or (707/103Y) or (707/202)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L26	3930	L25 and ((multipl \$8 many another \$1 second\$4 other inter-relat\$4 interrelat\$4) near8 object\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L27	21	L26 and (shar\$3 near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L28	21	L27 and object\$1	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L29	20959	object\$1 near5 (interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L30	62	L26 and ((shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stors\$4 known pre- known preknown) near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15

L31	17	L30 and L29	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L32	15	L31 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L33	23	L30 and (query\$9)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L34	6357	object\$1 near5 (password\$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L35	25796	(shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stor\$4 known pre- known preknown) near5 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L36	41	L34 and L35 and L29	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L37	29	L36 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L38	309	(object\$1) near9 (shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stor\$4 known pre- known preknown) near9 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L39	62	L38 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L40	34	L39 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15

L41	0	(object\$1) near9 (shar\$3) near8 (predetermin\$6 prestor\$3 pre- determin\$6 pre- stor\$4 known pre- known preknown) near9 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L42	0	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near9 (shar\$3) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L43	40	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L44	30	L43 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L45	22	L44 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L46	8	(object\$1) near9 (shar\$3) near8 (password\$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L47	5	L46 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L48	4	L47 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/13 14:15
L50	0	Lwo near4 Fuhwei	USPAT; IBM_TDB	OR	ON	2008/05/13 14:39

5/ 13/ 08 2:40:46 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10825880.wsp